

0.96型DLP素子搭載 投影距離・画面サイズ表

Panel Size: 0.96

投影サイズアスペクト16 : 10

品名 型番			固定焦点レンズ ET-D75LE5	超短焦点レンズ ET-D75LE6	短焦点レンズ ET-D75LE1		標準レンズ ET-D75LE2		中焦点レンズ ET-D75LE3		長焦点レンズ ET-D75LE4		超長焦点レンズ ET-D75LE8		
F値			F	F2.5	F2.5		F		F2.5		F2.5		F2.5-2.7		
焦点距離			14.8mm	19.6-23.5mm	28.8-38.4mm		38.7-58.0mm		58.1-96.5mm		96.5-154.1mm		154-289mm		
倍率			0.8倍	1.0-1.2倍	1.5-2.0倍		2.0-3.0倍		3.0-5.0倍		5.0-8.0倍		8.0-15.0倍		
レンタル価格	※消費税別		¥25,000	¥25,000	¥20,000		¥20,000		¥20,000		¥20,000		¥25,000		
			映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		
画面サイズ			14.8	19.6	23.5	28.8	38.4	38.7	58	58.1	96.5	96.5	154.1	154	289
対角線(寸)			最短		最短		最短		最短		最短		最短		
横 (m)			最長		最長		最長		最長		最長		最長		
縦 (m)			最長		最長		最長		最長		最長		最長		
50	1.077	0.673	0.77	1.02	1.22	1.50	2.00	2.02	3.02	3.03	5.03	5.03	8.03	8.02	15.05
60	1.292	0.808	0.93	1.23	1.47	1.80	2.40	2.42	3.63	3.63	6.03	6.03	9.63	9.63	18.06
70	1.508	0.942	1.08	1.43	1.71	2.10	2.80	2.82	4.23	4.24	7.04	7.04	11.24	11.23	21.07
80	1.723	1.077	1.23	1.63	1.96	2.40	3.20	3.23	4.83	4.84	8.04	8.04	12.84	12.83	24.08
90	1.939	1.211	1.39	1.84	2.20	2.70	3.60	3.63	5.44	5.45	9.05	9.05	14.45	14.44	27.09
100	2.154	1.346	1.54	2.04	2.45	3.00	4.00	4.03	6.04	6.05	10.05	10.05	16.05	16.04	30.10
110	2.369	1.481	1.70	2.25	2.69	3.30	4.40	4.43	6.65	6.66	11.06	11.06	17.66	17.65	33.11
120	2.585	1.615	1.85	2.45	2.94	3.60	4.80	4.84	7.25	7.26	12.06	12.06	19.26	19.25	36.13
130	2.800	1.750	2.00	2.65	3.18	3.90	5.20	5.24	7.85	7.87	13.07	13.07	20.87	20.85	39.14
140	3.016	1.884	2.16	2.86	3.43	4.20	5.60	5.64	8.46	8.47	14.07	14.07	22.47	22.46	42.15
150	3.231	2.019	2.31	3.06	3.67	4.50	6.00	6.05	9.06	9.08	15.08	15.08	24.08	24.06	45.16
160	3.446	2.154	2.47	3.27	3.92	4.80	6.40	6.45	9.67	9.68	16.08	16.08	25.68	25.67	48.17
170	3.662	2.288	2.62	3.47	4.16	5.10	6.80	6.85	10.27	10.29	17.09	17.09	27.29	27.27	51.18
180	3.877	2.423	2.78	3.68	4.41	5.40	7.20	7.26	10.88	10.89	18.09	18.09	28.89	28.88	54.19
190	4.093	2.557	2.93	3.88	4.65	5.70	7.60	7.66	11.48	11.50	19.10	19.10	30.50	30.48	57.20
200	4.308	2.692	3.08	4.08	4.90	6.00	8.00	8.06	12.08	12.10	20.10	20.10	32.10	32.08	60.21
210	4.523	2.827	3.24	4.29	5.14	6.30	8.40	8.47	12.69	12.71	21.11	21.11	33.71	33.69	63.22
220	4.739	2.961	3.39	4.49	5.39	6.60	8.80	8.87	13.29	13.31	22.11	22.11	35.31	35.29	66.23
230	4.954	3.096	3.55	4.70	5.63	6.90	9.20	9.27	13.90	13.92	23.12	23.12	36.92	36.90	69.24
240	5.170	3.230	3.70	4.90	5.88	7.20	9.60	9.68	14.50	14.53	24.13	24.13	38.53	38.50	72.25
250	5.385	3.365	3.85	5.10	6.12	7.50	10.00	10.08	15.10	15.13	25.13	25.13	40.13	40.10	75.26
260	5.600	3.500	4.01	5.31	6.36	7.80	10.40	10.48	15.71	15.74	26.14	26.14	41.74	41.71	78.27
270	5.816	3.634	4.16	5.51	6.61	8.10	10.80	10.88	16.31	16.34	27.14	27.14	43.34	43.31	81.28
280	6.031	3.769	4.32	5.72	6.85	8.40	11.20	11.29	16.92	16.95	28.15	28.15	44.95	44.92	84.29
290	6.247	3.903	4.47	5.92	7.10	8.70	11.60	11.69	17.52	17.55	29.15	29.15	46.55	46.52	87.30
300	6.462	4.038	4.63	6.13	7.34	9.00	12.00	12.09	18.13	18.16	30.16	30.16	48.16	48.13	90.31
310	6.677	4.173	4.78	6.33	7.59	9.30	12.40	12.50	18.73	18.76	31.16	31.16	49.76	49.73	93.32
320	6.893	4.307	4.93	6.53	7.83	9.60	12.80	12.90	19.33	19.37	32.17	32.17	51.37	51.33	96.33
330	7.108	4.442	5.09	6.74	8.08	9.90	13.20	13.30	19.94	19.97	33.17	33.17	52.97	52.94	99.34
340	7.324	4.576	5.24	6.94	8.32	10.20	13.60	13.71	20.54	20.58	34.18	34.18	54.58	54.54	102.35
350	7.539	4.711	5.40	7.15	8.57	10.50	14.00	14.11	21.15	21.18	35.18	35.18	56.18	56.15	105.36
360	7.754	4.846	5.55	7.35	8.81	10.80	14.40	14.51	21.75	21.79	36.19	36.19	57.79	57.75	108.38
370	7.970	4.980	5.70	7.55	9.06	11.10	14.80	14.92	22.35	22.39	37.19	37.19	59.39	59.35	111.39
380	8.185	5.115	5.86	7.76	9.30	11.40	15.20	15.32	22.96	23.00	38.20	38.20	61.00	60.96	114.40
390	8.401	5.249	6.01	7.96	9.55	11.70	15.60	15.72	23.56	23.60	39.20	39.20	62.60	62.56	117.41
400	8.616	5.384	6.17	8.17	9.79	12.00	16.00	16.13	24.17	24.21	40.21	40.21	64.21	64.17	120.42
410	8.831	5.519	6.32	8.37	10.04	12.30	16.40	16.53	24.77	24.81	41.21	41.21	65.81	65.77	123.43
420	9.047	5.653	6.48	8.58	10.28	12.60	16.80	16.93	25.38	25.42	42.22	42.22	67.42	67.38	126.44
430	9.262	5.788	6.63	8.78	10.53	12.90	17.20	17.33	25.98	26.02	43.22	43.22	69.02	68.98	129.45
440	9.478	5.922	6.78	8.98	10.77	13.20	17.60	17.74	26.58	26.63	44.23	44.23	70.63	70.58	132.46
450	9.693	6.057	6.94	9.19	11.02	13.50	18.00	18.14	27.19	27.23	45.23	45.23	72.23	72.19	135.47
460	9.908	6.192	7.09	9.39	11.26	13.80	18.40	18.54	27.79	27.84	46.24	46.24	73.84	73.79	138.48
470	10.124	6.326	7.25	9.60	11.51	14.10	18.80	18.95	28.40	28.44	47.24	47.24	75.44	75.40	141.49
480	10.339	6.461	7.40	9.80	11.75	14.40	19.20	19.35	29.00	29.05	48.25	48.25	77.05	77.00	144.50
490	10.555	6.595	7.55	10.00	11.99	14.70	19.60	19.75	29.60	29.66	49.26	49.26	78.66	78.60	147.51
500	10.770	6.730	7.71	10.21	12.24	15.00	20.00	20.16	30.21	30.26	50.26	50.26	80.26	80.21	150.52
510	10.985	6.865	7.86	10.41	12.48	15.30	20.40	20.56	30.81	30.87	51.27	51.27	81.87	81.81	153.53
520	11.201	6.999	8.02	10.62	12.73	15.60	20.80	20.96	31.42	31.47	52.27	52.27	83.47	83.42	156.54
530	11.416	7.134	8.17	10.82	12.97	15.90	21.20	21.37	32.02	32.08	53.28	53.28	85.08	85.02	159.55
540	11.632	7.268	8.33	11.03	13.22	16.20	21.60	21.77	32.63	32.68	54.28	54.28	86.68	86.63	162.56
550	11.847	7.403	8.48	11.23	13.46	16.50	22.00	22.17	33.23	33.29	55.29	55.29	88.29	88.23	165.57
560	12.062	7.538	8.63	11.43	13.71	16.80	22.40	22.58	33.83	33.89	56.29	56.29	89.89	89.83	168.58
570	12.278	7.672	8.79	11.64	13.95	17.10	22.80	22.98	34.44	34.50	57.30	57.30	91.50	91.44	171.59
580	12.493	7.807	8.94	11.84	14.20	17.40	23.20	23.38	35.04	35.10	58.30	58.30	93.10	93.04	174.60
590	12.709	7.941	9.10	12.05	14.44	17.70	23.60	23.78	35.65	35.71	59.31	59.31	94.71	94.65	177.61
600	12.924	8.076	9.25	12.25	14.69	18.00	24.00	24.19	36.25	36.31	60.31	60.31	96.31	96.25	180.63

\*上記の画面に対する距離は論理計算上の数値で、天吊設置の場合、現場合わせが必要です。

0.96型DLP素子搭載 投影距離・画面サイズ表

Panel Size: 0.96

投影サイズアスペクト16 : 9

品名			固定焦点レンズ	超短焦点レンズ		短焦点レンズ		標準レンズ		中焦点レンズ		長焦点レンズ		超長焦点レンズ				
型番			ET-D75LE5	ET-D75LE6		ET-D75LE1		ET-D75LE2		ET-D75LE3		ET-D75LE4		ET-D75LE8				
F値			F	F2.5		F2.5		F		F2.5		F2.5		F2.5-2.7				
焦点距離			14.8mm	19.6-23.5mm		28.8-38.4mm		38.7-58.0mm		58.1-96.5mm		96.5-154.1mm		154-289mm				
倍率			0.8倍	1.0-1.2倍		1.5-2.0倍		2.0-3.0倍		3.0-5.0倍		5.0-8.0倍		8.0-15.0倍				
レンタル価格	※消費税別		¥25,000	¥25,000		¥20,000		¥20,000		¥20,000		¥20,000		¥25,000				
			映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)					
画面サイズ			14.8		19.6	23.5	28.8	38.4	38.7	58	58.1	96.5	96.5	154.1	154	289		
対角線(インチ)			横 (m)		縦 (m)		最短		最長		最短		最長		最短		最長	
50	1.107	0.623	0.79	1.05	1.26	1.54	2.06	2.07	3.10	3.11	5.17	5.17	8.25	8.24	15.47			
60	1.328	0.747	0.95	1.26	1.51	1.85	2.47	2.49	3.73	3.73	6.20	6.20	9.90	9.89	18.57			
70	1.550	0.872	1.11	1.47	1.76	2.16	2.88	2.90	4.35	4.35	7.23	7.23	11.55	11.54	21.66			
80	1.771	0.996	1.27	1.68	2.01	2.47	3.29	3.31	4.97	4.98	8.27	8.27	13.20	13.19	24.75			
90	1.993	1.121	1.43	1.89	2.26	2.78	3.70	3.73	5.59	5.60	9.30	9.30	14.85	14.84	27.85			
100	2.214	1.245	1.58	2.10	2.52	3.08	4.11	4.14	6.21	6.22	10.33	10.33	16.50	16.49	30.94			
110	2.435	1.370	1.74	2.31	2.77	3.39	4.52	4.56	6.83	6.84	11.37	11.37	18.15	18.14	34.04			
120	2.657	1.494	1.90	2.52	3.02	3.70	4.93	4.97	7.45	7.46	12.40	12.40	19.80	19.79	37.13			
130	2.878	1.619	2.06	2.73	3.27	4.01	5.34	5.39	8.07	8.09	13.43	13.43	21.45	21.44	40.23			
140	3.100	1.743	2.22	2.94	3.52	4.32	5.76	5.80	8.69	8.71	14.46	14.46	23.10	23.08	43.32			
150	3.321	1.868	2.38	3.15	3.77	4.63	6.17	6.22	9.31	9.33	15.50	15.50	24.75	24.73	46.41			
160	3.542	1.992	2.54	3.36	4.03	4.93	6.58	6.63	9.94	9.95	16.53	16.53	26.40	26.38	49.51			
170	3.764	2.117	2.69	3.57	4.28	5.24	6.99	7.04	10.56	10.58	17.56	17.56	28.05	28.03	52.60			
180	3.985	2.241	2.85	3.78	4.53	5.55	7.40	7.46	11.18	11.20	18.60	18.60	29.70	29.68	55.70			
190	4.207	2.366	3.01	3.99	4.78	5.86	7.81	7.87	11.80	11.82	19.63	19.63	31.35	31.33	58.79			
200	4.428	2.490	3.17	4.20	5.03	6.17	8.22	8.29	12.42	12.44	20.66	20.66	33.00	32.98	61.89			
210	4.649	2.615	3.33	4.41	5.28	6.48	8.63	8.70	13.04	13.06	21.70	21.70	34.65	34.63	64.98			
220	4.871	2.739	3.49	4.62	5.54	6.78	9.05	9.12	13.66	13.69	22.73	22.73	36.30	36.27	68.07			
230	5.092	2.864	3.64	4.83	5.79	7.09	9.46	9.53	14.28	14.31	23.76	23.76	37.95	37.92	71.17			
240	5.314	2.988	3.80	5.04	6.04	7.40	9.87	9.94	14.90	14.93	24.80	24.80	39.60	39.57	74.26			
250	5.535	3.113	3.96	5.25	6.29	7.71	10.28	10.36	15.52	15.55	25.83	25.83	41.25	41.22	77.36			
260	5.756	3.237	4.12	5.46	6.54	8.02	10.69	10.77	16.15	16.17	26.86	26.86	42.90	42.87	80.45			
270	5.978	3.362	4.28	5.67	6.79	8.33	11.10	11.19	16.77	16.80	27.90	27.90	44.55	44.52	83.55			
280	6.199	3.486	4.44	5.88	7.05	8.63	11.51	11.60	17.39	17.42	28.93	28.93	46.20	46.17	86.64			
290	6.421	3.611	4.60	6.09	7.30	8.94	11.92	12.02	18.01	18.04	29.96	29.96	47.85	47.82	89.73			
300	6.642	3.735	4.75	6.30	7.55	9.25	12.33	12.43	18.63	18.66	31.00	31.00	49.50	49.47	92.83			
310	6.863	3.860	4.91	6.51	7.80	9.56	12.75	12.84	19.25	19.28	32.03	32.03	51.15	51.11	95.92			
320	7.085	3.984	5.07	6.72	8.05	9.87	13.16	13.26	19.87	19.91	33.06	33.06	52.80	52.76	99.02			
330	7.306	4.109	5.23	6.93	8.30	10.18	13.57	13.67	20.49	20.53	34.10	34.10	54.45	54.41	102.11			
340	7.528	4.233	5.39	7.14	8.55	10.48	13.98	14.09	21.11	21.15	35.13	35.13	56.10	56.06	105.21			
350	7.749	4.358	5.55	7.34	8.81	10.79	14.39	14.50	21.73	21.77	36.16	36.16	57.75	57.71	108.30			
360	7.970	4.482	5.70	7.55	9.06	11.10	14.80	14.92	22.36	22.39	37.20	37.20	59.40	59.36	111.39			
370	8.192	4.607	5.86	7.76	9.31	11.41	15.21	15.33	22.98	23.02	38.23	38.23	61.05	61.01	114.49			
380	8.413	4.731	6.02	7.97	9.56	11.72	15.62	15.75	23.60	23.64	39.26	39.26	62.70	62.66	117.58			
390	8.635	4.856	6.18	8.18	9.81	12.03	16.03	16.16	24.22	24.26	40.30	40.30	64.35	64.31	120.68			
400	8.856	4.980	6.34	8.39	10.06	12.33	16.45	16.57	24.84	24.88	41.33	41.33	66.00	65.95	123.77			
410	9.077	5.105	6.50	8.60	10.32	12.64	16.86	16.99	25.46	25.50	42.36	42.36	67.65	67.60	126.87			
420	9.299	5.229	6.66	8.81	10.57	12.95	17.27	17.40	26.08	26.13	43.39	43.39	69.30	69.25	129.96			
430	9.520	5.354	6.81	9.02	10.82	13.26	17.68	17.82	26.70	26.75	44.43	44.43	70.95	70.90	133.05			
440	9.742	5.478	6.97	9.23	11.07	13.57	18.09	18.23	27.32	27.37	45.46	45.46	72.60	72.55	136.15			
450	9.963	5.603	7.13	9.44	11.32	13.88	18.50	18.65	27.94	27.99	46.49	46.49	74.25	74.20	139.24			
460	10.184	5.727	7.29	9.65	11.57	14.18	18.91	19.06	28.57	28.62	47.53	47.53	75.90	75.85	142.34			
470	10.406	5.852	7.45	9.86	11.83	14.49	19.32	19.47	29.19	29.24	48.56	48.56	77.55	77.50	145.43			
480	10.627	5.976	7.61	10.07	12.08	14.80	19.73	19.89	29.81	29.86	49.59	49.59	79.20	79.14	148.53			
490	10.849	6.101	7.76	10.28	12.33	15.11	20.15	20.30	30.43	30.48	50.63	50.63	80.85	80.79	151.62			
500	11.070	6.225	7.92	10.49	12.58	15.42	20.56	20.72	31.05	31.10	51.66	51.66	82.50	82.44	154.71			
510	11.291	6.350	8.08	10.70	12.83	15.73	20.97	21.13	31.67	31.73	52.69	52.69	84.15	84.09	157.81			
520	11.513	6.474	8.24	10.91	13.08	16.03	21.38	21.55	32.29	32.35	53.73	53.73	85.80	85.74	160.90			
530	11.734	6.599	8.40	11.12	13.34	16.34	21.79	21.96	32.91	32.97	54.76	54.76	87.45	87.39	164.00			
540	11.956	6.723	8.56	11.33	13.59	16.65	22.20	22.38	33.53	33.59	55.79	55.79	89.10	89.04	167.09			
550	12.177	6.848	8.72	11.54	13.84	16.96	22.61	22.79	34.15	34.21	56.83	56.83	90.75	90.69	170.18			
560	12.398	6.972	8.87	11.75	14.09	17.27	23.02	23.20	34.78	34.84	57.86	57.86	92.40	92.34	173.28			
570	12.620	7.097	9.03	11.96	14.34	17.58	23.44	23.62	35.40	35.46	58.89	58.89	94.05	93.98	176.37			
580	12.841	7.221	9.19	12.17	14.59	17.88	23.85	24.03	36.02	36.08	59.93	59.93	95.70	95.63	179.47			
590	13.063	7.346	9.35	12.38	14.85	18.19	24.26	24.45	36.64	36.70	60.96	60.96	97.35	97.28	182.56			
600	13.284	7.470	9.51	12.59	15.10	18.50	24.67	24.86	37.26	37.32	61.99	61.99	99.00	98.93	185.66			

\* 上記の画面に対する距離は論理計算上の数値で、天吊設置の場合、現場合わせが必要です。

0.96型DLP素子搭載 投影距離・画面サイズ表

Panel Size: 0.96

投影サイズアスペクト4:3

品名 型番	固定焦点レンズ ET-D75LE5		超短焦点レンズ ET-D75LE6		短焦点レンズ ET-D75LE1		標準レンズ ET-D75LE2		中焦点レンズ ET-D75LE3		長焦点レンズ ET-D75LE4		超長焦点レンズ ET-D75LE8			
	F値	F	F2.5	F2.5	F2.5	F	F2.5	F2.5	F2.5	F2.5	F2.5	F2.5	F2.5-2.7			
焦点距離	14.8mm		19.6-23.5mm		28.8-38.4mm		38.7-58.0mm		58.1-96.5mm		96.5-154.1mm		154-289mm			
倍率	0.8倍		1.0-1.2倍		1.5-2.0倍		2.0-3.0倍		3.0-5.0倍		5.0-8.0倍		8.0-15.0倍			
レンタル価格	※消費税別 ¥25,000		¥25,000		¥20,000		¥20,000		¥20,000		¥20,000		¥25,000			
		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)		映写距離 (m)				
画面サイズ		14.8		19.6 23.5		28.8 38.4		38.7 58		58.1 96.5		96.5 154.1		154 289		
対角線(寸)	横 (m)		縦 (m)		最短		最長		最短		最長		最短		最長	
	50	1.016	0.762	0.87	1.16	1.39	1.70	2.26	2.28	3.42	3.43	5.69	5.69	9.09	9.08	17.04
60	1.219	0.914	1.05	1.39	1.66	2.04	2.72	2.74	4.10	4.11	6.83	6.83	10.90	10.90	20.45	
70	1.422	1.067	1.22	1.62	1.94	2.38	3.17	3.20	4.79	4.80	7.97	7.97	12.72	12.71	23.86	
80	1.626	1.219	1.40	1.85	2.22	2.72	3.62	3.65	5.47	5.48	9.11	9.11	14.54	14.53	27.27	
90	1.829	1.372	1.57	2.08	2.49	3.06	4.08	4.11	6.16	6.17	10.24	10.24	16.36	16.35	30.68	
100	2.032	1.524	1.75	2.31	2.77	3.40	4.53	4.56	6.84	6.85	11.38	11.38	18.17	18.16	34.09	
110	2.235	1.676	1.92	2.54	3.05	3.74	4.98	5.02	7.52	7.54	12.52	12.52	19.99	19.98	37.49	
120	2.438	1.829	2.09	2.77	3.33	4.08	5.43	5.48	8.21	8.22	13.66	13.66	21.81	21.80	40.90	
130	2.642	1.981	2.27	3.01	3.60	4.42	5.89	5.93	8.89	8.91	14.80	14.80	23.63	23.61	44.31	
140	2.845	2.134	2.44	3.24	3.88	4.76	6.34	6.39	9.58	9.59	15.93	15.93	25.44	25.43	47.72	
150	3.048	2.286	2.62	3.47	4.16	5.10	6.79	6.85	10.26	10.28	17.07	17.07	27.26	27.24	51.13	
160	3.251	2.438	2.79	3.70	4.43	5.43	7.25	7.30	10.95	10.96	18.21	18.21	29.08	29.06	54.54	
170	3.454	2.591	2.97	3.93	4.71	5.77	7.70	7.76	11.63	11.65	19.35	19.35	30.90	30.88	57.94	
180	3.658	2.743	3.14	4.16	4.99	6.11	8.15	8.22	12.31	12.33	20.49	20.49	32.71	32.69	61.35	
190	3.861	2.896	3.32	4.39	5.27	6.45	8.61	8.67	13.00	13.02	21.62	21.62	34.53	34.51	64.76	
200	4.064	3.048	3.49	4.62	5.54	6.79	9.06	9.13	13.68	13.70	22.76	22.76	36.35	36.33	68.17	
210	4.267	3.200	3.67	4.85	5.82	7.13	9.51	9.59	14.37	14.39	23.90	23.90	38.17	38.14	71.58	
220	4.470	3.353	3.84	5.09	6.10	7.47	9.96	10.04	15.05	15.08	25.04	25.04	39.98	39.96	74.99	
230	4.674	3.505	4.01	5.32	6.37	7.81	10.42	10.50	15.73	15.76	26.18	26.18	41.80	41.78	78.40	
240	4.877	3.658	4.19	5.55	6.65	8.15	10.87	10.95	16.42	16.45	27.32	27.32	43.62	43.59	81.80	
250	5.080	3.810	4.36	5.78	6.93	8.49	11.32	11.41	17.10	17.13	28.45	28.45	45.44	45.41	85.21	
260	5.283	3.962	4.54	6.01	7.21	8.83	11.78	11.87	17.79	17.82	29.59	29.59	47.25	47.22	88.62	
270	5.486	4.115	4.71	6.24	7.48	9.17	12.23	12.32	18.47	18.50	30.73	30.73	49.07	49.04	92.03	
280	5.690	4.267	4.89	6.47	7.76	9.51	12.68	12.78	19.15	19.19	31.87	31.87	50.89	50.86	95.44	
290	5.893	4.420	5.06	6.70	8.04	9.85	13.13	13.24	19.84	19.87	33.01	33.01	52.71	52.67	98.85	
300	6.096	4.572	5.24	6.93	8.31	10.19	13.59	13.69	20.52	20.56	34.14	34.14	54.52	54.49	102.26	
310	6.299	4.724	5.41	7.17	8.59	10.53	14.04	14.15	21.21	21.24	35.28	35.28	56.34	56.31	105.66	
320	6.502	4.877	5.59	7.40	8.87	10.87	14.49	14.61	21.89	21.93	36.42	36.42	58.16	58.12	109.07	
330	6.706	5.029	5.76	7.63	9.15	11.21	14.95	15.06	22.57	22.61	37.56	37.56	59.98	59.94	112.48	
340	6.909	5.182	5.93	7.86	9.42	11.55	15.40	15.52	23.26	23.30	38.70	38.70	61.79	61.75	115.89	
350	7.112	5.334	6.11	8.09	9.70	11.89	15.85	15.98	23.94	23.98	39.83	39.83	63.61	63.57	119.30	
360	7.315	5.486	6.28	8.32	9.98	12.23	16.30	16.43	24.63	24.67	40.97	40.97	65.43	65.39	122.71	
370	7.518	5.639	6.46	8.55	10.26	12.57	16.76	16.89	25.31	25.35	42.11	42.11	67.25	67.20	126.12	
380	7.722	5.791	6.63	8.78	10.53	12.91	17.21	17.34	25.99	26.04	43.25	43.25	69.06	69.02	129.52	
390	7.925	5.944	6.81	9.02	10.81	13.25	17.66	17.80	26.68	26.72	44.39	44.39	70.88	70.84	132.93	
400	8.128	6.096	6.98	9.25	11.09	13.59	18.12	18.26	27.36	27.41	45.53	45.53	72.70	72.65	136.34	
410	8.331	6.248	7.16	9.48	11.36	13.93	18.57	18.71	28.05	28.09	46.66	46.66	74.52	74.47	139.75	
420	8.534	6.401	7.33	9.71	11.64	14.27	19.02	19.17	28.73	28.78	47.80	47.80	76.33	76.28	143.16	
430	8.738	6.553	7.51	9.94	11.92	14.61	19.47	19.63	29.41	29.47	48.94	48.94	78.15	78.10	146.57	
440	8.941	6.706	7.68	10.17	12.20	14.95	19.93	20.08	30.10	30.15	50.08	50.08	79.97	79.92	149.98	
450	9.144	6.858	7.85	10.40	12.47	15.29	20.38	20.54	30.78	30.84	51.22	51.22	81.79	81.73	153.38	
460	9.347	7.010	8.03	10.63	12.75	15.62	20.83	21.00	31.47	31.52	52.35	52.35	83.60	83.55	156.79	
470	9.550	7.163	8.20	10.86	13.03	15.96	21.29	21.45	32.15	32.21	53.49	53.49	85.42	85.37	160.20	
480	9.754	7.315	8.38	11.10	13.30	16.30	21.74	21.91	32.84	32.89	54.63	54.63	87.24	87.18	163.61	
490	9.957	7.468	8.55	11.33	13.58	16.64	22.19	22.37	33.52	33.58	55.77	55.77	89.06	89.00	167.02	
500	10.160	7.620	8.73	11.56	13.86	16.98	22.64	22.82	34.20	34.26	56.91	56.91	90.87	90.82	170.43	
510	10.363	7.772	8.90	11.79	14.14	17.32	23.10	23.28	34.89	34.95	58.05	58.05	92.69	92.63	173.83	
520	10.566	7.925	9.08	12.02	14.41	17.66	23.55	23.73	35.57	35.63	59.19	59.19	94.51	94.45	177.24	
530	10.770	8.077	9.25	12.25	14.69	18.00	24.00	24.19	36.26	36.32	60.32	60.32	96.33	96.26	180.65	
540	10.973	8.230	9.43	12.48	14.97	18.34	24.46	24.65	36.94	37.00	61.46	61.46	98.14	98.08	184.06	
550	11.176	8.382	9.60	12.71	15.24	18.68	24.91	25.10	37.62	37.69	62.60	62.60	99.96	99.90	187.47	
560	11.379	8.534	9.78	12.95	15.52	19.02	25.36	25.56	38.31	38.37	63.74	63.74	101.78	101.71	190.88	
570	11.582	8.687	9.95	13.18	15.80	19.36	25.82	26.02	38.99	39.06	64.87	64.87	103.60	103.53	194.29	
580	11.786	8.839	10.12	13.41	16.08	19.70	26.27	26.47	39.68	39.74	66.01	66.01	105.41	105.35	197.69	
590	11.989	8.992	10.30	13.64	16.35	20.04	26.72	26.93	40.36	40.43	67.15	67.15	107.23	107.16	201.10	
600	12.192	9.144	10.47	13.87	16.63	20.38	27.17	27.39	41.04	41.11	68.29	68.29	109.05	108.98	204.51	

\* 上記の画面に対する距離は論理計算上の数値で、天吊設置の場合、現場合わせが必要です。